


Automotive Industry

You develop the automotive future.
We are shaping it with you.

*HellermannTyton – Competence
for the automotive industry*


HellermannTyton



The automotive industry has always been in a state of development – from the first motor car and the advent of mass production until today. New technologies are continuing to place higher demands on vehicles and how they are manufactured: accelerated development and production processes, higher quality standards, solutions that are more cost-effective, just-in-time delivery and environmental sustainability, to name just a few.

HellermannTyton is an experienced industry partner who is always at your side. As a specialist for cable management systems, cable protection, identification solutions and data network technology, we've been working closely with the automotive industry for many years.

What does this mean for our customers? We're always close to you, talking to you to create precise solutions tailored to **your individual needs**. The decision-making



You drive innovative ideas ahead.
We are offering the freedom you need.

Our industry expertise


paths are shortened, and your knowledge is bundled with ours to achieve a new quality in project realisation.

'Resident engineering' is the most beneficial form of knowledge transfer: for large-scale or special projects, we can locate our experts directly in your business.


But not only are our visionary developers and highly experienced technicians at your side **wherever you are**

located in the world. Local distributors in our comprehensive international network are always nearby to help you whenever you need us. At HellermannTyton, **high development competencies** go hand in hand with **expertise in sales and logistics.**

Integrate our advantages into your own development projects. Tell us where you want to take the automotive industry, and we will deliver the solution.



The automotive industry is characterised by continuous change. Vehicle development is racing ahead with new types of power trains. The efficient use of electrical and electronic systems are flourishing. Safety standards and industry specifications are becoming more stringent. And developers today are working vigorously to combine economic and ecological features into the new breed of vehicle.



You continuously look for ways to optimise vehicles.
We're developing the solutions to do it.

Our engineering competence



Cable duct: Critical for positioning the entire wiring system, robust design for safe cable harness installation.



Bracket: Mount design with hook-in solution and additional direct threaded mount that saves production time.



Cable duct: Space-optimised design, innovative clip with utility-model-protected functional elements.

We develop products tailored to your specifications. To do this we rely on current CAD and rapid prototyping systems. Experienced designers using advanced development tools guarantee a high level of quality in all of our products. The result: innovative solutions and the chance to profit from the advantages.

Save development time

Our product developers work simultaneously with your engineers while we develop the solution. This shortens the development phase, even for parts whose dimensions have not yet been completely finalised.

Reduce weight

Replace metal with plastic without compromising on quality and performance. HellermannTyton injection-moulded parts offer complete freedom in geometric design, allowing easier integration of other functional elements. They are also corrosion-resistant.

Reduce component diversity

With our targeted cable-set analyses, we are able to demonstrate cost-effective alternatives, the application of preferred parts and how components can be optimised.

Choose the right material

Our many years' experience in product development will help you to select the right materials. If a suitable material for your application doesn't exist, we will work closely with you and our raw material suppliers to develop one.


We're your reliable partner throughout the complete development process – from first contact to serial production.

How can we support you in vehicle development?

Contact us to find out!



Replacing metal with plastic to reduce weight and integrate functional elements.



**Perfect solutions for your industry:
Our automotive catalogue**

Containing all products designed to meet the needs of the automotive industry. Divided by category and clearly laid out – you'll quickly find the right solution.



Example of re-engineering: 1-piece fixing tie.
By optimising the lamella geometry, higher extraction forces can be achieved at lower push-in forces.

You set new standards in vehicle construction. We're offering the right portfolio.

Our product range

As well as numerous **custom-designed products**, we also have a portfolio of ready-made solutions based on **our comprehensive industry knowledge**. Choose the products you need from our wide range designed to meet your requirements in the automotive industry.

Expect the highest standards of quality, each and every day:

- Use of high-quality raw materials
- Precision manufacturing through in-house tool construction

- Mould flow analysis to optimise injection-moulded tools and production conditions
- Comprehensive testing to ensure smooth working processes, high quality and the durability of products in our portfolio

Our extensive network of branches and distribution partners around the world ensures a consistently high level of service and flexibility, as well as quick response and delivery times.

Cable ties and fastening systems



Our wide variety of **EdgeClips** for edge fastening provides an easy mounting solution, especially for complex routing where there is no stud, hole, or other fixing point available.



This range of **bundling clips** was developed for winding cables and cable harnesses. The cables are simply fixed to the winding bar with cable ties or adhesive tape.



With the **Omega Clips**, we found a solution to a recurring challenge: attaching additional cables later to assembled harnesses.



Specially developed for the automotive industry, the **caps and edge covers** are used wherever holes need to be closed or cables need to be safely fitted over edges.



Connector clips enable plugs to be set into the corresponding receptacle. The clips can be removed just as practically and conveniently for maintenance and repair.



Thanks to the appropriate aperture, the **weld stud mounts** for cable and wire assemblies can be pressed onto a weld stud without tools.



Cable ties and fastening systems



The patented **KR cable tie** ensures a secure fit for the mounting even with systems subject to vibration such as vibration dampers.



The **PEEK system solution** is ideal for high-temperature applications. It combines the mechanical characteristics and resistance of metal components with the simple installation properties of plastic products.



The **OS-Series** is an innovative development for outside serrated cable ties with a smooth surface to the cable bundle, preventing problems of damage to the cable insulation.

Application tooling



The **EVO7** manual application tool with revolutionary TLC technology reduces the effort required for cutting and enables recoilless working that is gentle on the joints.



The pneumatic **MK9P** bundling tool for cable ties from 4.8 mm width. The ergonomic design of its low-weight plastic housing ensures greater comfort and less fatigue during use.



Electrically operated **bundling tools** are ideal for large quantities in a range of applications due to their reliability, easy operation and flexibility.



Our product range

Heat shrinkable products 



The flexible **TF21** heat shrinkable tubing (shrink ratio 2:1 or 3:1) has very good mechanical and chemical characteristics and can be easily printed on.



EPS-300/-400 tubing with thermoplastic adhesive liner and 3:1/4:1 shrink ratio. Protects battery cables, plugs and connectors from moisture and other environmental factors.



Extremely abrasion-resistant and durable: **SE28/TE28** with a 2:1 shrink ratio are durable even at high temperatures and under mechanical stress, especially against oil, diesel and other fuels.

Cable protection 



The Helagaine **HEGEMIP EMV braided sleeving** in a patented mix of polyester and tinned copper threads provides protection from abrasion and electromagnetic waves. It conforms to the international EMI standard CISPR 25.



Helagaine **braided sleeving** made from polyester or polyamide offers individual strengths: protection against mechanical and chemical factors, flexibility, resistance to abrasion, and heat or sound insulation.



Helagaine **Twist-In** is an open, self-closing protective sleeve made from polyester threads which makes cable bundles easy to access for maintenance, repair and inspection.



Our product range


Identification systems 



The chemical-resistant polyester labelling **Material 1201** for thermal transfer printing is for the durable and non-ageing identification of components, e.g. for type plates or cable tags.



Developed for vehicle identification, the **Material 951** tamper-proof type plates for thermal transfer printing with transparent overlaminate meet German Federal Motor Transport Authority (KBA) requirements.




The high-resolution **TT4000+** thermal transfer printer (including Tagprint Pro labelling software) is ideal for printing bar codes, graphics, numbers and letters on labels and heat shrinkable tubing.



Self-laminating **Material 323** labels for thermal transfer printing are characterised by their high scratch resistance, chemical stability and resistance to high temperatures.



TULT DS heat shrinkable tubing (shrink ratio 3:1) is solvent-, chemical- and cold flow-resistant. It is also infusible, self-extinguishing, highly flexible and also complies with UL224 VW-1 and CSA.



The **laser printing service** allows stainless-steel cable ties and stainless-steel metal identification plates to be pre-produced with individual markings.

You meet the most stringent safety standards.
We are meeting your strict specifications.

As a leading automotive supplier, we always meet
your industry-specific requirements.
You can be assured that each of our products meets the
stringent standards applied to the automotive industry.



ISO 14001



ISO 9001



ISO 16949



DE AEOF 100652

Close to you – worldwide.

Do you have questions about a specific application,
or would you just like to find out more?
Use our experience and almost unlimited technical
capabilities. We're always close to you.



www.HellermannTyton.com

We are there where you need us.

Our large sales and service network ensures that wherever you are in the world, we're always where you need us. Never far away – with trusted reliability, ready to respond immediately with a timely solution.

Europe

HellermannTyton GmbH – Austria
Rennbahnweg 65
1220 Vienna
Tel: +43 12 59 99 55
Fax: +43 12 59 99 11
E-Mail: office@HellermannTyton.at
www.HellermannTyton.at

HellermannTyton – Czech Republic
E-Mail: office.cz@HellermannTyton.at
www.HellermannTyton.cz

HellermannTyton AB – Denmark
Baldersbuen 15D 1. TV
2640 Hedehusene
Tel: +45 702 371 20
Fax: +45 702 371 21
E-Mail: htdk@HellermannTyton.dk
www.HellermannTyton.dk

HellermannTyton – Finland
Sähkötie 8
01510 Vantaa
Tel: +358 9 8700 450
Fax: +358 9 8700 4520
E-Mail: myynti@HellermannTyton.fi
www.HellermannTyton.fi

HellermannTyton S.A.S. – France
2 rue des Hêtres, B.P. 130
78196 Trappes Cedex
Tel: +33 1 30 13 80 00
Fax: +33 1 30 13 80 60
E-Mail: info@HellermannTyton.fr
www.HellermannTyton.fr

HellermannTyton GmbH – Germany
Großer Moorweg 45
25436 Tornesch
Tel: +49 4122 701-0
Fax: +49 4122 701-400
E-Mail: info@HellermannTyton.de
www.HellermannTyton.de

HellermannTyton KFT – Hungary
Kisfaludy u. 13
1044 Budapest
Tel: +36 1 369 4151
Fax: +36 1 369 4151
E-Mail: office@HellermannTyton.hu
www.HellermannTyton.hu

HellermannTyton S.r.l. – Italy
Via Praimbole 9 Bis
35010 Limena (PD)
Tel: +39 049 767 870
Fax: +39 049 767 985
E-Mail: info@HellermannTyton.it
www.HellermannTyton.it

HellermannTyton Ltd – Ireland
Unit 77 Cherry Orchard
Industrial Estate
Ballyfermot, Dublin 10
Tel: +353 1 626 8267
Fax: +353 1 626 8022
E-Mail: sales@HellermannTyton.ie
www.HellermannTyton.co.uk

HellermannTyton B.V. – Belgium/Netherlands
Vanadiumweg 11-C
3812 PX Amersfoort
Tel: +31 33 460 06 90
Fax: +31 33 460 06 99
E-Mail (NL): info@HellermannTyton.nl
E-Mail (BE): info@HellermannTyton.be
www.HellermannTyton.nl
www.HellermannTyton.be

HellermannTyton AS – Norway
PO Box 240 Alnabru
0614 Oslo
Tel: +47 23 17 47 00
Fax: +47 22 97 09 70
E-Mail: firmapost@HellermannTyton.no
www.HellermannTyton.no

HellermannTyton – Poland
E-Mail: info@HellermannTyton.pl
www.HellermannTyton.pl

OOO HellermannTyton - Russia
40/4, Pulkovskoe road
BC Technopolis Pulkovo, office A 8081
196158, St. Petersburg
Tel: +7 812 386 00 09
Fax: +7 812 386 00 08
E-Mail: info@HellermannTyton.ru
www.HellermannTyton.ru

HellermannTyton – Slovenia
Branch Office Ljubljana
Podružnica Ljubljana, Leskoškova 6
1000 Ljubljana
Tel: +386 1 433 70 56
Fax: +386 1 433 63 21
E-Mail: sales@HellermannTyton.si
www.HellermannTyton.si

HellermannTyton España s.l. – Spain/Portugal
Avda. de la Industria nº 37, 2º 2º
28.108 Alcobendas, Madrid
Tel: +34 91 661 2835
Fax: +34 91 661 2368
E-Mail: HellermannTyton@HellermannTyton.es
www.HellermannTyton.es

HellermannTyton AB – Sweden
Datavägen 5, PO Box 569
17526 Järfälla
Tel: +46 8 580 890 00
Fax: +46 8 580 890 01
E-Mail: support@HellermannTyton.se
www.HellermannTyton.se

HellermannTyton Ltd – UK
William Prance Road
Plymouth International Medical
and Technology Park
Plymouth, Devon PL6 5WR
Tel: +44 1752 701 261
Fax: +44 1752 790 058
E-Mail: info@HellermannTyton.co.uk
www.HellermannTyton.co.uk

HellermannTyton Ltd – UK
Sharston Green Business Park
1 Robeson Way
Altrincham Road, Wythenshawe
Manchester M22 4TY
Tel: +44 161 947 2200
Fax: +44 161 947 2220
E-Mail: sales@HellermannTyton.co.uk
www.HellermannTyton.co.uk

HellermannTyton Ltd – UK
Main Contact for Customer Service
Wharf Approach
Aldridge, Walsall, West Midlands
WS9 8BX
Tel: +44 1922 458 151
Fax: +44 1922 743 237
E-Mail: info@HellermannTyton.co.uk
www.HellermannTyton.co.uk

HellermannTyton Data Ltd – UK
43 – 45 Salthouse Road
Cornwell Business Park Brackmills
Northampton NN4 7EX
Tel: +44 1604 707 420
Fax: +44 1604 705 454
E-Mail: hns@htdata.co.uk
www.htdata.co.uk

North America

HellermannTyton – Canada
Tel: +1 905 726 1221
Fax: +1 905 726 8538
E-Mail: sales@HellermannTyton.ca
www.HellermannTyton.ca

HellermannTyton – Mexico
Tel: +52 333 133 9880
Fax: +52 333 133 9861
E-Mail: info@HellermannTyton.com.mx
www.HellermannTyton.com

HellermannTyton – USA
Tel: +1 414 355 1130
Fax: +1 414 355 7341
E-Mail: corp@htamericas.com
www.HellermannTyton.com

South America

HellermannTyton – Argentina
Tel: +54 11 4754 5400
Fax: +54 11 4752 0374
E-Mail: ventas@HellermannTyton.com.ar
www.HellermannTyton.com.ar

HellermannTyton – Brazil
Tel: +55 11 4815 9000
Fax: +55 11 4815 9030
E-Mail: vendas@HellermannTyton.com.br
www.HellermannTyton.com.br

Asia-Pacific

HellermannTyton – Australia
Tel: +61 2 9525 2133
Fax: +61 2 9526 2495
E-Mail: cservice@HellermannTyton.com.au
www.HellermannTyton.com.au

HellermannTyton – China
Tel: +86 510 8528 2536
Fax: +86 510 8528 2731
E-Mail: cservice@HellermannTyton.com.cn
www.HellermannTyton.com.cn

HellermannTyton – Hong Kong
Tel: +852 2832 9090
Fax: +852 2832 9381
E-Mail: cservice@HellermannTyton.com.hk
www.HellermannTyton.com.sg

HellermannTyton – India
Tel: +91 11-2620 9230/6661 9230
Fax: +91 11-2620 9330/6661 9330
E-Mail: cservice@HellermannTyton.co.in
www.HellermannTyton.co.in

HellermannTyton – Japan
Tel: +81 3 5790 3111
Fax: +81 3 5790 3112
E-Mail: cservice@HellermannTyton.co.jp
www.HellermannTyton.co.jp

HellermannTyton – Korea
Tel: +82 2 2614 0157
Fax: +82 2 2614 0284
E-Mail: cservice@HellermannTyton.co.kr
www.HellermannTyton.co.kr

HellermannTyton – Philippines
Tel: +63 2 752 6551
Fax: +63 2 752 6553
E-Mail: cservice@HellermannTyton.com.ph
www.HellermannTyton.com.ph

HellermannTyton – Singapore
Tel: +65 6 852 8585
Fax: +65 6 756 6798
E-Mail: cservice@HellermannTyton.sg
www.HellermannTyton.com.sg

HellermannTyton – Thailand
Tel: +66 2 237 6702
Fax: +66 2 266 8664
E-Mail: cservice@HellermannTyton.com.th
www.HellermannTyton.com.sg

Africa

HellermannTyton – South Africa
Tel: +27 11 879 6680
Fax: +27 11 879 6601
E-Mail: sales.jhb@Hellermann.co.za
www.HellermannTyton.co.za

www.HellermannTyton.com

HellermannTyton